

DATA SHEET

ARUBA CLEARPASS POLICY MANAGER

The most advanced Secure NAC platform available

Aruba's ClearPass Policy Manager, part of the Aruba 360 Secure Fabric, provides role- and device-based secure network access control for IoT, BYOD, corporate devices, as well as employees, contractors and guests across any multivendor wired, wireless and VPN infrastructure.

With a built-in context-based policy engine, RADIUS, TACACS+, non-RADIUS enforcement using OnConnect, device profiling, posture assessment, onboarding, and guest access options, ClearPass is unrivaled as a foundation for network security for organizations of any size.

For comprehensive integrated security coverage and response using firewalls, UEM and other existing solutions, ClearPass supports the Aruba 360 Security Exchange Program. This allows for automated threat detection and response workflows that integrate with third-party security vendors and IT systems previously requiring manual IT intervention.

In addition, ClearPass supports secure self-service capabilities, making it easier for end users trying to access the network. Users can securely configure their own devices for enterprise use or Internet access based on admin policy controls.

The result is detailed visibility of all wired and wireless devices connecting to the enterprise, increased control through simplified and automated authentication or authorization of devices, and faster, better incident analysis and response through the integration and orchestration with third-party security solutions. This is achieved with a comprehensive and scalable policy management platform that goes beyond traditional AAA solutions to deliver extensive enforcement capabilities for IT-owned and BYOD security requirements.

THE CLEARPASS DIFFERENCE

ClearPass is the only policy platform that centrally enforces all aspects of enterprise-grade access security for any industry.



KEY FEATURES

- Role-based, unified network access enforcement across multi-vendor wireless, wired and VPN networks.
- Intuitive policy configuration templates and visibility troubleshooting tools.
- Supports multiple authentication/authorization sources (AD, LDAP, SQL).
- Self-service device onboarding with built-in certificate authority (CA) for BYOD.
- Guest access with extensive customization, branding and sponsor-based approvals.
- Integration with key UEM solutions for in-depth device assessments.
- Comprehensive integration with the Aruba 360 Security Exchange Program.
- Single sign-on (SSO) support works with Ping, Okta and other identity management tools to improve user experience to SAML 2.0-based applications.

Granular policy enforcement is based on a user's role, device type and role, authentication method, UEM attributes, device health, traffic patterns, location, and time-of-day.

Deployment scalability supports tens of thousands of devices and authentications which surpasses the capabilities offered by legacy AAA solutions. Options exist for small to large organizations, from centralized to distributed environments.



ADVANCED POLICY MANAGEMENT

Enforcement and visibility for wired and wireless

With ClearPass, organizations can deploy wired or wireless using standards-based 802.1X enforcement for secure authentication. ClearPass also supports MAC address authentication for IoT and headless devices that may lack support for 802.1X. For wired environments where RADIUS based authentication cannot be deployed, OnConnect, offers an alternative using SNMP based enforcement.

ClearPass Device Insight provides next generation profiling capabilities to ClearPass Policy Manager through a cloud based machine learning algorithm that also leverage deep packet inspection support.

Authentication methods can be used to concurrently support a variety of use-cases. It also includes support for multi-factor authentication based on log-in times, posture checks, and other context such as new user, new device, and more.

Attributes from multiple identity stores such as Microsoft Active Directory, LDAP-compliant directory, ODBC-compliant SQL database, token servers and internal databases across domains can be used within a single policy for fine-grained control.

Contextual data from these profiled devices allows for IT to define what devices can access either the wired, VPN, or wireless network. Device profile changes are dynamically used to modify authorization privileges. For example, if a Windows laptop appears as a printer, ClearPass policies can automatically deny access.

Secure device configuration of personal devices

ClearPass Onboard provides automated provisioning of any Windows, macOS, iOS, Android, Chromebook, and Ubuntu devices via a user driven self-guided portal. Network details, security settings and unique device identity certificates are automatically configured on authorized devices. Cloud identity services like Microsoft Azure Active Directory, Google G Suite and Okta can also be leveraged as identity providers with Onboard for secure certificate enrollment.

Device health checks

ClearPass OnGuard delivers endpoint posture assessments over wireless, wired and VPN connections. OnGuard's health-check capabilities ensure endpoints meet security

and compliance policies before they connect to the network. OnGuard offers a variety of flexible deployment options including agentless, disolvable agents and agent-based configuration.

Customizable visitor management

ClearPass Guest simplifies visitor workflow processes to enable employees, receptionists, and other non-IT staff to create temporary guest accounts for secure wireless and wired access. Highly customizable, mobile friendly portals provide easy-to-use login processes that include self-registration, sponsor approval, and bulk credential creation support any visitor needs – enterprise, retail, education, large public venue. Credentials can be delivered by SMS, email, printed badges, or input directly through cloud identity providers such as Facebook or Twitter.

Built in support for commercial oriented guest Wi-Fi hotspots with credit card billing and 3rd party advertising driven workflows make it simple to integrate into a wide variety of environments.

ARUBA 360 SECURITY EXCHANGE PROGRAM

Integrate with security and workflow systems

Support for the Aruba 360 Security Exchange Program is an integrated component of ClearPass. Using features like REST-based APIs, RADIUS Accounting Proxy, and Syslog ingestion help facilitate workflows with UEM, SIEM, firewalls, help-desk systems and more. Context is shared between each component for end-to-end policy enforcement and visibility.

The ClearPass Ingress Event Engine provides 3rd party systems the means to share information in real-time using Syslog. This enables ClearPass to respond to changing threats for users and devices after they have authenticated to the network. By utilizing an open dictionary approach, anyone can write a parsing ruleset without the need for costly add-ons or locked in 3rd party ecosystems.

ADVANCED REPORTING AND ALERTING

ClearPass Insight provides advanced reporting capabilities via customizable reports. Information about authentication trends, profiled devices, guest data, on-boarded devices, and endpoint health can also be viewed in an easy to use dashboard. Insight also has support for granular alerts and a watchlist to monitor specific authentication failures.



SPECIFICATIONS

Appliances

ClearPass is available as hardware or as a virtual appliance. Virtual appliances are supported on VMware vSphere Hypervisor (ESXi), Microsoft Hyper-V, CentOS KVM, Amazon EC2 & Microsoft Azure.

- VMware ESXi up to 7.0
- Microsoft Hyper-V 2016/2019 R2/2019 and Windows 2016 R2 Enterprise
- KVM on CentOS 7.7 and Ubuntu 18.04 LTS
- Amazon AWS (EC2)
- KVM on CentOS 7.7, Ubuntu 18.04, and Ubuntu 20.04
- Amazon AWS (EC2)
- Microsoft Azure

Platform

- Deployment templates for any network type, identity store and endpoint
- 802.1X, MAC authentication and captive portal support
- ClearPass OnConnect for SNMP-based enforcement on wired switches
- Advanced reporting, analytics and troubleshooting tools
- Interactive policy simulation and monitor mode utilities
- Multiple device registration portals – Guest, Aruba AirGroup, BYOD, and un-managed devices
- Admin/operator access security via CAC and TLS certificates

Framework and protocol support

- RADIUS, RADIUS Dynamic Authorization, TACACS+, web authentication, SAML v2.0
- RadSec (TLS encoded RADIUS)
- TEAP (Tunneled EAP)
- EAP-FAST (EAP-MSCHAPv2, EAP-GTC, EAP-TLS)
- PEAP (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-PEAP-Public, EAP-PWD)
- TTLS (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-MD5, PAP, CHAP)
- EAP-TLS
- PAP, CHAP, MSCHAPv1, MSCHAPv2, EAP-MD5
- OAuth2
- WPA3
- Windows machine authentication
- SMB v2/v3
- Online Certificate Status Protocol (OCSP)
- SNMP generic MIB, SNMP private MIB
- Common Event Format (CEF), Log Event Extended Format (LEEF), and RFC5424

Supported identity stores

- Microsoft Active Directory
- RADIUS
- Any LDAP compliant directory
- MySQL, Microsoft SQL, PostGRES and Oracle 11g ODBC-compliant SQL server
- Token servers
- Built-in SQL store, static hosts list
- Kerberos
- Microsoft Azure Active Directory
- Google G Suite

RFC standards

2246, 2248, 2407, 2408, 2409, 2548, 2759, 2865, 2866, 2869, 2882, 3079, 3579, 3580, 3748, 3779, 4017, 4137, 4301, 4302, 4303, 4308, 4346, 4514, 4518, 4809, 4849, 4851, 4945, 5176, 5216, 5246, 5280, 5281, 5282, 5424, 5755, 5759, 6614, 6818, 6960, 7030, 7170, 7296, 7321, 7468, 7815, 8032, 8247

Internet drafts

Protected EAP Versions 0 and 1, Microsoft CHAP extensions, dynamic provisioning using EAP-FAST, TACACS+, draft-ietf-curdle-pkix-00 EdDSA, Ed25519, Ed448, Curve25519 and Curve448 for X.509, draft-nourse-scep-23 (Simple Certificate Enrollment Protocol)

Profiling methods

- Active: Nmap, WMI, SSH, SNMP
- Passive: MAC OUI, DHCP, TCP, Netflow v5/v10, IPFIX, sFLOW, 'SPAN' Port, HTTP User-Agent, IF-MAP
- ClearPass Device Insight
- Integrated & 3rd Party: Onboard, OnGuard, ArubaOS, EMM/MDM, Cisco device sensor

IPv6 Support

- RADIUS
- TACACS+
- Clustering (intra-node communication)
- Web and CLI based management
- IPv6 addressed authentication & authorization servers
- IPv6 accounting proxy
- IPv6 addressed endpoint context servers
- Syslog, DNS, NTP, IPsec IPv6 targets
- IPv6 Virtual IP for high availability
- HTTP Proxy
- Ingress Event Engine Syslog sources

Information assurance validations

- FIPS 140-2 – Certificate #2577
- Common Criteria NDcPP + Authentication Server (ClearPass)
- USGv6 approved



	C1000 Appliance (JZ508A)	C2010 Appliance (R1V81A)	C3010 Appliance (R1V82A)
APPLIANCE SPECIFICATIONS			
Hardware Model	Unicom S-1200 R4	HPE DL20 Gen10	HPE DL360 Gen10
CPU	(1) Atom 2.4GHz C2758 with Eight Cores (8 Threads)	(1) Xeon 4.0GHz E-2274G with Four Cores (8 Threads)	(1) Xeon 2.3GHz Gold 5118 with Twelve Cores (24 Threads)
Memory	8 GB	16 GB	64 GB
Hard drive storage	(1) SATA (7.3K RPM) 1TB hard drive	(2) SATA (7.2K RPM) 1TB hard drives, RAID-1 controller	(6) SAS (10K RPM) 600GB Hot-Plug hard drives RAID-10 controller
Out of Band Management	N/A	HPE Integrated Lights-Out (iLO)	HPE Integrated Lights-Out (iLO) Advanced
Network Interfaces	4 x 1GbE	4 x 1GbE	4 x 1GbE
Serial Port	Yes (RJ-45)	Yes (DB-9)	Yes (DB-9)
Performance & Scale	Please refer to the ClearPass Scaling & Ordering Guide		
Minimum Software Version	ClearPass Policy Manager 6.6	ClearPass Policy Manager 6.7	ClearPass Policy Manager 6.7
FORM FACTOR			
Rackmount	Included	Included	Included
Dimensions (WxHxD)	17.2" x 1.7" x 11.3"	17.11" x 1.70" x 15.05"	17.1 x 1.7 x 27.8"
Weight (Max Config)	8.5 Lbs	Up to 19.18 Lbs	Up to 36 Lbs
POWER			
Power supply	200 watts max	HPE 500W Flex Slot Platinum Hot Plug Power Supply	HPE 500W Flex Slot Platinum Hot Plug Power Supply
Power Cord	C13 - NEMA 5-15P US/CA 110V 10Amp Power Cord	C13 - C14 WW 250V 10Amp Jumper Cord	C13 - C14 WW 250V 10Amp Jumper Cord
Power redundancy	N/A	Optional	Optional
AC input voltage	100/240 VAC auto-selecting		
AC input frequency	50/60 Hz auto-selecting		
ENVIRONMENTAL			
Operating temperature	5° C to 35° C (41° F to 95° F)	10° to 35°C (50° to 95°F)	10° C to 35° C (50° F to 95° F)
Operating vibration	0.25 G at 5 Hz to 200 Hz for 15 minutes	Random vibration at 0.000075 G ² / Hz, 10Hz to 300Hz, (0.15 G's nominal)	Random vibration at 0.000075 G ² / Hz, 10Hz to 300Hz, (0.15 G's nominal)
Operating shock	1 shock pulse of 20 G for up to 2.5 ms	2 G's	2 G's
Operating altitude	-16 m to 3,048 m (-50 ft to 10,000 ft)	3,050 m (10,000 ft)	3,050 m (10,000 ft)



ORDERING GUIDANCE

Please refer to the ClearPass Scaling & Ordering Guide for detailed information on appropriate sizing and required licensing to deploy ClearPass. This can be found on the Aruba support website in the [ClearPass documentation section](#).

ORDERING INFORMATION	
Part Number	Description
Hardware Appliances	
JZ508A	Aruba ClearPass C1000 S-1200 R4 HW-Based Appliance
R1V81A	Aruba ClearPass C2010 DL20 Gen10 HW-Based Appliance
R1V82A	Aruba ClearPass C3010 DL360 Gen10 HW-Based Appliance
Virtual Appliances	
JZ399AAE	Aruba ClearPass Cx000V VM-Based Appliance E-LTU
Power Supplies	
R1T38A	Aruba DL360 Gen10 500W Spare Power Supply (for use with R1V81A and R1V82A)
Hardware/Virtual Appliance Warranty	
Hardware	1 year parts*
Software	90 days*
Perpetual Licenses	
JZ400AAE	Aruba ClearPass New Licensing Access 100 Concurrent Endpoints E-LTU
JZ401AAE	Aruba ClearPass New Licensing Access 500 Concurrent Endpoints E-LTU
JZ402AAE	Aruba ClearPass New Licensing Access 1K Concurrent Endpoints E-LTU
JZ403AAE	Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints E-LTU
JZ404AAE	Aruba ClearPass New Licensing Access 5K Concurrent Endpoints E-LTU
JZ405AAE	Aruba ClearPass New Licensing Access 10K Concurrent Endpoints E-LTU
JZ406AAE	Aruba ClearPass New Licensing Access 25K Concurrent Endpoints E-LTU
JZ407AAE	Aruba ClearPass New Licensing Access 50K Concurrent Endpoints E-LTU
JZ408AAE	Aruba ClearPass New Licensing Access 100K Concurrent Endpoints E-LTU
R1U35AAE	Aruba ClearPass New Licensing Entry 100 Concurrent Endpoints E-LTU
R1U36AAE	Aruba ClearPass New Licensing Entry 500 Concurrent Endpoints E-LTU
R1U37AAE	Aruba ClearPass New Licensing Entry 1K Concurrent Endpoints E-LTU
R1U38AAE	Aruba ClearPass New Licensing Entry 2500 Concurrent Endpoints E-LTU
R1U39AAE	Aruba ClearPass New Licensing Entry 5K Concurrent Endpoints E-LTU
R1U40AAE	Aruba ClearPass New Licensing Entry 10K Concurrent Endpoints E-LTU
R1U41AAE	Aruba ClearPass New Licensing Entry 25K Concurrent Endpoints E-LTU
R1U42AAE	Aruba ClearPass New Licensing Entry 50K Concurrent Endpoints E-LTU
R1U43AAE	Aruba ClearPass New Licensing Entry 100K Concurrent Endpoints E-LTU
R1U44AAE	Aruba ClearPass New Licensing Access Upgrade 100 Concurrent Endpoints E-LTU
R1U45AAE	Aruba ClearPass New Licensing Access Upgrade 500 Concurrent Endpoints E-LTU
R1U46AAE	Aruba ClearPass New Licensing Access Upgrade 1K Concurrent Endpoints E-LTU

* Extended with support contract



ORDERING INFORMATION	
Part Number	Description
Perpetual Licenses	
R1U47AAE	Aruba ClearPass New Licensing Access Upgrade 2500 Concurrent Endpoints E-LTU
R1U48AAE	Aruba ClearPass New Licensing Access Upgrade 5K Concurrent Endpoints E-LTU
R1U49AAE	Aruba ClearPass New Licensing Access Upgrade 10K Concurrent Endpoints E-LTU
R1U50AAE	Aruba ClearPass New Licensing Access Upgrade 25K Concurrent Endpoints E-LTU
R1U51AAE	Aruba ClearPass New Licensing Access Upgrade 50K Concurrent Endpoints E-LTU
R1U52AAE	Aruba ClearPass New Licensing Access Upgrade 100K Concurrent Endpoints E-LTU
Perpetual Licenses Warranty	
Software	90 days*
Subscription Licenses (1 Year)	
JZ409AAE	Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 1yr E-STU
JZ410AAE	Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 1yr E-STU
JZ411AAE	Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 1yr E-STU
JZ412AAE	Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 1yr E-STU
JZ413AAE	Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 1yr E-STU
JZ414AAE	Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 1yr E-STU
JZ415AAE	Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 1yr E-STU
JZ416AAE	Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 1yr E-STU
JZ417AAE	Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 1yr E-STU
Subscription Licenses (3 Year)	
JZ418AAE	Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 3yr E-STU
JZ419AAE	Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 3yr E-STU
JZ420AAE	Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 3yr E-STU
JZ421AAE	Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 3yr E-STU
JZ422AAE	Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 3yr E-STU
JZ423AAE	Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 3yr E-STU
JZ424AAE	Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 3yr E-STU
JZ425AAE	Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 3yr E-STU
JZ426AAE	Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 3yr E-STU
Subscription Licenses (5 Year)	
JZ427AAE	Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 5yr E-STU
JZ428AAE	Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 5yr E-STU
JZ429AAE	Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 5yr E-STU
JZ430AAE	Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 5yr E-STU
JZ431AAE	Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 5yr E-STU
JZ432AAE	Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 5yr E-STU
JZ433AAE	Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 5yr E-STU
JZ434AAE	Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 5yr E-STU
JZ435AAE	Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 5yr E-STU

* Extended with support contract



ORDERING INFORMATION	
Part Number	Description
Customized Guest Portal	
JW470AAE	Aruba ClearPass Guest Custom Skin E-LTU
Expandable application software	
ClearPass Onboard – device configuration and certificate management	Refer to ClearPass Onboard Datasheet
ClearPass OnGuard – endpoint device health	Refer to ClearPass OnGuard Datasheet

* Extended with support contract



In the Cyber CatalystSM program, leading cyber insurers evaluate and identify solutions they consider effective in reducing cyber risk. Participating insurers include Allianz; AXIS; AXA XL, a division of AXA; Beazley; CFC; Munich Re; Somp International; and Zurich North America. Microsoft is a technical advisor to the program.